

Microlitre Centrifuge

■ Z 130 M



HERMLE
LABORTECHNIK

12 x 1.5/2.0 ml

Z 130 M



Unlike traditional mini centrifuges, the model Z 130 M eliminates the need to change rotors when switching between micro tubes and PCR strips. The included, unique COMBI-Rotor is all that is required for running 12 micro tubes. With a fixed speed that produces 5,500 rpm, this centrifuge is perfect for quick spin downs.

Technical Data

max. Speed: 5,500 rpm
max. RCF: 2,000 xg
max. Volume: 12 x 1.5/2.0 ml
32 x 0.2 ml PCR tubes
4 x PCR strips

Dimensions: 14 cm x 11 cm x 20 cm (W x H x D)

Weight: 1.3 kg

Power input: 40 W

Order Number: 324.00 V01 - Z 130 M
230 V / 50 - 60 Hz
inkl. KOMBI-Rotor
324.00 V02 - Z 130 M
120 V / 50 - 60 Hz
inkl. KOMBI-Rotor

Features

- Unique COMBI-Rotor for tubes and strips
- Twice the capacity of traditional mini centrifuges
- Start & stops with closing/opening of the lid
- Short acceleration and deceleration times
- Low noise level < 52 dBA
- Manufactured according to international safety regulation, e.g. IEC 61010

Included Rotor

COMBI-Rotor



Max. Speed 5,500 rpm
Max. RCF 2,000 xg
Max. Radius 5.9 cm
Max. Ø 11 mm

Angle Rotor 12 x 1.5/2.0 ml
32 x 0.2 ml PCR tubes
4 x PCR strips

Adapter Options

Order No.:	Adapter	Ø (mm)	Length (min./max.)
704.005	1 x 0.5 ml	8.0 mm	45 mm
704.004	1 x 0.4/0.2 ml PCR	6.0 mm	45 mm

The Perfect Fit

